



**BOSCH**

Invented for life

Hand sanding sheets  
for Wood and Paint

**Solid performance  
for perfect surfaces**

# J470 Best for Wood and Paint

## Best in class for excellent finishes

The J470 Best for Wood and Paint sanding sheet is made from a highly adaptable J-cloth, coated with tough semi-friable aluminum oxide grit for consistent quality and form accuracy. Furthermore, the grit is bonded using fully synthetic resin for wear-resistance in heavy-duty applications, enabling a long performance lifetime and excellent finishes.




### Excellent sanding results

due to cloth backing with tough aluminum oxide and controlled grain distribution

### Highly adaptable

to contours, roundings and profiles delivering high form accuracy due to extreme flexible J-cloth backing



### Easy to tear

in fabric grain direction into different shapes by hand

### Closed anti-static coating

for low clogging

Width (mm)	Length (mm)	Grit	Pack qty.	Min. order qty.	Part number	EAN Code 3 165 140 ...
100	50	60	1	1	2 608 608 784	674 171
100	50	80	1	1	2 608 608 785	674 188
100	50	100	1	1	2 608 608 786	674 195
100	50	120	1	1	2 608 608 787	674 201
100	50	180	1	1	2 608 608 789	674 249
100	50	240	1	1	2 608 608 791	674 263
100	50	320	1	1	2 608 608 792	674 256
115	50	60	1	1	2 608 608 793	674 263
115	50	80	1	1	2 608 608 794	674 270
115	50	100	1	1	2 608 608 795	674 294
115	50	120	1	1	2 608 608 796	674 287
115	50	180	1	1	2 608 608 798	674 317
115	50	240	1	1	2 608 608 800	674 348
115	50	320	1	1	2 608 608 801	674 331



# J450 Expert for Wood and Paint


## Robust and flexible for great stock removal

The J450 Expert for Wood and Paint sanding sheet is a robust and flexible product made with a J-cloth backing for great stock removal. It is coated with tough aluminum oxide for stable sanding results which is made for heavy-duty applications. Its cloth backing makes it easy to tear it in different shapes for various sanding applications by hand.



### Durable

due to very robust cloth backing with tough aluminum oxide



### Flexible

to adapt to contours due to J-cloth backing

### Easy to tear

in fabric grain direction into different shapes for several applications by hand. Straight tear edges length- and crosswise

Width (mm)	Length (mm)	Grit	Pack qty.	Min. order qty.	Part number	EAN Code 3165 140...
93	5	60	1	1	2608621455	912402
93	5	80	1	1	2608621456	912419
93	5	100	1	1	2608621457	912426
93	5	120	1	1	2608621458	912433
93	5	180	1	1	2608621460	912457
93	5	240	1	1	2608621462	912471
93	5	320	1	1	2608621463	912488
115	5	60	1	1	2608621464	912495
115	5	80	1	1	2608621465	912501
115	5	100	1	1	2608621466	912518
115	5	120	1	1	2608621467	912525
115	5	180	1	1	2608621469	912549
115	5	240	1	1	2608621471	912563
115	5	320	1	1	2608621472	912570

Width (mm)	Length (mm)	Grit	Pack qty.	Min. order qty.	Part number	EAN Code 3165 140...
93	50	60	1	1	2608621473	912587
93	50	80	1	1	2608621474	912594
93	50	100	1	1	2608621475	912600
93	50	120	1	1	2608621476	912617
93	50	180	1	1	2608621478	912631
93	50	240	1	1	2608621480	912655
93	50	320	1	1	2608621481	912662
115	50	60	1	1	2608621482	912679
115	50	80	1	1	2608621483	912686
115	50	100	1	1	2608621484	912693
115	50	120	1	1	2608621485	912709
115	50	180	1	1	2608621487	912723
115	50	240	1	1	2608621489	912747
115	50	320	1	1	2608621490	912754


# C470 Best for Wood and Paint

## Exceptional removal rates while low clogging

The C470 Best for Wood and Paint has an exceptional material removal rate. The product has a calcium stearate coating that reduces clogging. Furthermore, its electrostatic open-coated surface with space between grits ensures even, controlled, consistent dust removal. This is designed to be used when sanding wood and paint, such as coatings like varnish, rough-cast, filler, synthetics and solid materials such as polymers (Corian, Varicor).



**Exceptional removal rate**  
due to electrostatic  
open-coated semi-friable  
aluminum oxide



**High durability**  
thanks to stearate  
coating that prevents  
clogging

**Adaptable**  
on surfaces without breakage  
thanks to B-/C-paper  
backing  
with flexible bonding

Dimension (mm)	Grit	Pack qty.	Min. order qty.	Part number	EAN Code 3 165 140 ...
230 × 280	40	1	25	2 608 608 687	673 204
230 × 280	60	1	50	2 608 608 688	673 211
230 × 280	80	1	50	2 608 608 689	673 228
230 × 280	100	1	50	2 608 608 690	673 235
230 × 280	120	1	50	2 608 608 691	673 242
230 × 280	150	1	50	2 608 608 692	673 259
230 × 280	180	1	50	2 608 608 693	673 266
230 × 280	220	1	50	2 608 608 694	673 273
230 × 280	240	1	50	2 608 608 695	673 280
230 × 280	320	1	50	2 608 608 696	673 297
230 × 280	400	1	50	2 608 608 697	673 303

Dimension (mm)	Grit	Pack qty.	Min. order qty.	Part number	EAN Code 3 165 140 ...
70 × 125	40	10	1	2 608 608 Y19	806 022
70 × 125	60	10	1	2 608 608 Y20	806 039
70 × 125	80	10	1	2 608 608 Y21	806 046
70 × 125	100	10	1	2 608 608 Y22	806 053
70 × 125	120	10	1	2 608 608 Y23	806 060
70 × 125	150	10	1	2 608 608 Y24	806 077
70 × 125	180	10	1	2 608 608 Y25	806 084
70 × 125	220	10	1	2 608 608 Y26	806 091
70 × 125	240	10	1	2 608 608 Y27	806 107
70 × 125	320	10	1	2 608 608 Y28	806 114
70 × 125	400	10	1	2 608 608 Y29	806 121



Width (mm)	Length (mm)	Grit	Pack qty.	Min. order qty.	Part number	EAN Code 3 165 140 ...
93	5	40	1	1	2608607706	549172
93	5	60	1	1	2608607707	549189
93	5	80	1	1	2608607708	549196
93	5	120	1	1	2608607709	549202
93	5	180	1	1	2608607710	549219
93	5	240	1	1	2608607711	549226
115	5	40	1	1	2608607700	549110
115	5	60	1	1	2608607701	549127
115	5	80	1	1	2608607702	549134
115	5	120	1	1	2608607703	549141
115	5	180	1	1	2608607704	549158
115	5	240	1	1	2608607705	549165

Width (mm)	Length (mm)	Grit	Pack qty.	Min. order qty.	Part number	EAN Code 3 165 140 ...
93	50	40	1	1	2608608709	673426
93	50	60	1	1	2608608710	673433
93	50	80	1	1	2608608711	673440
93	50	100	1	1	2608608712	673457
93	50	120	1	1	2608608713	673464
93	50	180	1	1	2608608715	673488
93	50	240	1	1	2608608717	673501
93	50	320	1	1	2608608718	673518
93	50	400	1	1	2608608719	673525
115	50	40	1	1	2608608731	673648
115	50	60	1	1	2608608732	673655
115	50	80	1	1	2608608733	673662
115	50	100	1	1	2608608734	673679
115	50	120	1	1	2608608735	673686
115	50	180	1	1	2608608737	673709
115	50	240	1	1	2608608739	673723
115	50	320	1	1	2608608740	673730
115	50	400	1	1	2608608741	673747




# C420 Standard for Wood and Paint

## Basic product with good lifetime and flexibility

The C420 Standard for Wood and Paint has a good lifetime and flexibility. It's made out of a flexible C-/D-paper backing coated with tough aluminum oxide for good stock removal. It's designed for basic wood and paint sanding applications.



**Flexible**  
to adapt to contours  
due to C-/D-paper  
backing



**Good lifetime**  
as a result of a strong  
grit adhesion

**Good stock removal**  
is supported by tough  
aluminum oxide



Dimension (mm)	Grit	Pack qty.	Min. order qty.	Part number	EAN Code 3 150 140 ...
230 x 280	40	1	50	2 608 621 591	914 642
230 x 280	60	1	50	2 608 621 592	914 659
230 x 280	80	1	50	2 608 621 593	914 666
230 x 280	100	1	50	2 608 621 594	914 673
230 x 280	120	1	50	2 608 621 595	914 680
230 x 280	180	1	50	2 608 621 596	914 697
230 x 280	240	1	50	2 608 621 597	914 703


# Colour Coded Sponges

## Three Step Sanding Solution – for easy handling

The colour coded sponges provide easy handling when hand sanding various surface shapes and materials. They are conveniently color coded for efficient distinction between the remove, prepare and finish sanding steps. Furthermore the sponges are intended for sanding work in wood and paint. It is apt for keying wood, plastic or metal prior to painting, and for the intermediate sanding for varnishes and paints. The sponges are repeatedly washable and reusable.




### S470 Best for Profile



### S471 Best for Flat and Edge



### S473 Best for Contour



Medium  
**1. Remove**

Fine  
**2. Prepare**

Superfine  
**3. Finish**




Dimension (mm)	Grit	Pack qty.	Min. order qty.	Part number	EAN Code 3 165 140 ...
69 × 97 × 26	Medium / Fine / Super Fine	1	5	2 608 621 252	873 437
69 × 97 × 26	Medium / Fine / Super Fine	1	5	2 608 621 253	873 444
98 × 120 × 13	Medium / Fine / Super Fine	1	5	2 608 621 254	873 451
69 × 97 × 26	Fine	1	50	2 608 628 223	583 961
69 × 97 × 26	Medium	1	50	2 608 628 225	583 985
69 × 97 × 26	Fine	1	50	2 608 628 226	583 992
69 × 97 × 26	Super Fine	1	50	2 608 628 228	584 012
98 × 120 × 13	Medium	1	50	2 608 628 229	584 029
98 × 120 × 13	Fine	1	50	2 608 628 230	254 036
98 × 120 × 13	Super Fine	1	50	2 608 628 231	584 043

# Accessories



Dimension (mm)	Pack qty.	Min. order qty.	Part number	EAN Code 3 165 140 ...
80 × 120	1	5	2 607 000 636	106 573
80 × 120	1	5	2 607 000 637	106 580



Dimension (mm)	Pack qty.	Min. order qty.	Part number	EAN Code 3 165 140 ...
70 × 125	1	1	2 608 608 586	672 191



Dimension (mm)	Pack qty.	Min. order qty.	Part number	EAN Code 3 165 140 ...
70 × 125	1	1	2 608 608 587	672 207



Dimension (mm)	Pack qty.	Min. order qty.	Part number	EAN Code 3 165 140 ...
70 × 130	1	1	2 607 000 635	106 566





# Product Overview

## J470 Best for Wood and Paint



- ▶ Excellent sanding results due to cloth backing with tough aluminum oxide and controlled grain distribution
- ▶ Highly adaptable to contours, roundings and profiles delivering high form accuracy due to extreme flexible J-cloth backing
- ▶ Easy to tear in fabric grain direction into different shapes by hand
- ▶ Closed anti-static coating for low clogging

## J450 Expert for Wood and Paint



- ▶ Durable thanks to strong grit adhesion of aluminium oxide grain on the cloth backing
- ▶ Easy to tear fabric allows customized shapes and sizes for multiple hand sanding applications; can be torn with a clean straight edge along both the length and width of the roll
- ▶ Flexible to adapt to contours due to J-cloth backing

## C470 Best for Wood and Paint



- ▶ Exceptional Removal Rate due to electrostatic open-coated semi-friable aluminum oxide
- ▶ Long lifetime thanks to stearate coating that prevents clogging
- ▶ Adaptable on surfaces without breakage thanks to B-/C-paper backing with flexible bonding

## C420 Standard for Wood and Paint



- ▶ Flexible to adapt to contours due to C-/D-paper backing
- ▶ Good lifetime as a result of a strong grit adhesion
- ▶ Good stock removal is supported by tough aluminum oxide

## S470 Best for Profile




- ▶ S470 Best for Profile for easy handling when hand sanding various surface shapes and materials
- ▶ Profiled shape flexes and adapts perfectly to the workpiece
- ▶ Color coded for distinction between the remove, repair and finish sanding steps
- ▶ Foam base offers a comfortable grip for hand sanding
- ▶ Washable, reusable, strong sponge edges, 4 side grit coating, grit breakout resistant, color coded, solvent free

## S471 Best for Flat and Edge



- ▶ S471 Best for Flat & Edges for easy handling when hand sanding various flat or edged surfaces
- ▶ Block shape flexes and adapts perfectly to the workpiece
- ▶ Color coded for distinction between the remove, repair and finish sanding steps
- ▶ Foam base offers a comfortable grip for hand sanding
- ▶ Washable, reusable, strong sponge edges, 4 side grit coating, grit breakout resistant, color coded, solvent free

## S473 Best for Contour



- ▶ S473 Best for Contour for easy handling when hand sanding various surfaces and contours
- ▶ Highly flexible for perfect adaptability to the workpiece
- ▶ Color coded for distinction between the remove, repair and finish sanding steps
- ▶ Foam base offers a comfortable grip for hand sanding
- ▶ Washable, reusable, strong sponge edges, 4 side grit coating, grit breakout resistant, color coded, solvent free

**Robert Bosch Limited**

Power Tools Division  
PO Box 98, Uxbridge  
Middlesex, UB9 5HN  
United Kingdom

**[www.boschpowertools.co.uk](http://www.boschpowertools.co.uk)**