



**HARD WORK
MADE EASY.**

Robert Bosch Power Tools GmbH
70538 Stuttgart
Germany

Subject to technical alterations.
No liability is accepted for printing errors.



NEW:
BITURBO
BRUSHLESS
REVOLUTIONARY
PERFORMANCE.

**PROFESSIONAL
18V
SYSTEM**

**ULTIMATE
PERFORMANCE.
MAXIMUM
FREEDOM.**

It's in your hands. Bosch Professional.

A CORDLESS SYSTEM THAT DOES ITS JOB. SO YOU CAN DO YOURS.

The Professional 18V System combines highest performance with compact dimensions and minimum weight to make your toughest jobs easier. Benefit from the ultimate in performance, uncompromising compatibility and maximum freedom on your job site.



THE PROOF IS OUT – ACHIEVE MORE WITH THE ProCORE18V.



ProCORE18V – OUR MOST POWERFUL BATTERIES EVER.

ProCORE18V 4.0Ah
All the power of a standard battery – not its weight.

ProCORE18V 8.0Ah
The perfect balance between weight and power – with up to 1,800 watts corded power.

ProCORE18V 12.0Ah
Maximum performance and runtime.

¹ GBA 18V 6.0Ah vs. ProCORE18V 8.0Ah: 800W vs. 1620W. ² vs. no Bosch COOLPACK 2.0 technology. ³ ProCORE18V 8.0Ah vs. GBA 18V 6.0Ah. Application: Drilling a hole 25mm in diameter using the SDS-plus of GBH 18V-26; C30/37 concrete. ⁴ As of May 2019. It takes 9 minutes to charge the ProCORE18V 4.0Ah to 50% with GAL 18V-160 C (in Power Boost Mode).

⁵ ProCORE18V 8.0Ah vs. GBA 18V 6.0Ah. Application: Two-minute metal edge grinding with GWS 18V-10 SC, ceramic grit wheel (2 608 601 502). ⁶ ProCORE18V 8.0Ah vs. GBA 18V 6.0Ah. Application: Drilling holes with GSR 18V-110 in a 10 x 10cm piece of softwood using a 32mm spade bit. ⁷ ProCORE18V 8.0Ah vs. GBA 18V 6.0Ah. Application: Drilling a hole 25mm in diameter using the SDS-plus of GBH 18V-26; C30/37 concrete.

REVOLUTIONARY PERFORMANCE. FEEL THE EXTREME.

BITURBO
BRUSHLESS



BITURBO TOOLS SET NEW STANDARDS IN PERFORMANCE WITH LESS WEIGHT AND MAXIMUM OOMPH.

Maximum power: Maximum output in combination with ProCORE18V batteries. Up to 1,800 watts of corded power.

Perfect handling: BITURBO tools are lightweight, compact and impress with perfect ergonomics. With just one ProCORE18V battery, they perform as well as competitor tools with two batteries.

Ultimate control: Multiple clever technologies make your work safer, faster and more efficient.

Fully compatible: Compatible with all new and existing batteries and chargers from the Professional 18V System. For maximum power, use ProCORE18V 8.0 or 12.0 Ah batteries.

New high-
performance
motor



Our most
powerful
battery ever

BITURBO Brushless: Up to 1,800 watts of corded power.

BITURBO BRUSHLESS RANGE

Coming
soon



GBH 18V-45 C



GBH 18V-36 C



GBH 18V-34 CF



GWS 18V-15 C



GWS 18V-15 SC



GWX 18V-15 C



GWX 18V-15 SC



GKS 18V-68 C



GKS 18V-68 GC



GKT 18V-52 GC



GCM 18V-216

BITURBO. A NEW STANDARD IN PERFORMANCE.

BITURBO
BRUSHLESS

GWX 18V-15 SC

50% STRONGER
than all our previous
cordless angle grinders.¹

255 CUTS
with one battery charge
in 12mm-thick rebar.



**OUTPERFORMS
CORDED**
thanks to extremely high
grinding speed.¹

GBH 18V-45 C

**CORDED
PERFORMANCE**
with 12.5 J impact energy.³



THE LIGHTEST
tool of its class.²

**BEST DRILLING
DISTANCE**
in its class: 4.27m with
just one charge.⁴

GBH 18V-34 CF

**UNPARALLELED
DRILLING SPEED**
at diameter 25mm.⁶



**THE MOST
POWERFUL**
cordless SDS-plus hammer
on the market.⁵

**OUTSTANDING
TOOL CONTROL**
thanks to Soft Start, Kick-Back Control
and 3 different working modes.

GKS 18V-68 GC

FASTER AND LIGHTER
than our corded tools.⁷

**WITH JUST
ONE BATTERY**

our tool performs as well as competitor tools
with two batteries or higher voltage classes.⁸



**UP TO 1,800
WATTS**
of corded power – our most
powerful cordless saw.



¹ Corded GWS 13-125 CIE vs. cordless GWX 18-15 SC incl. ProCORE18V 8.0Ah. ² As of 02/2020. Weight of GBH 18V-45 C incl. ProCORE18V 12.0 Ah according to EPTA Procedure 01:2014 = 9.3 kg. ³ Comparable performance to corded GBH 8-45 DV. ⁴ As of 02/2020. Resulting out of 150mm holes with 25mm Drill Bit in Concrete C30/37 using ProCORE18V 12.0Ah. Tested by DEKRA Testing and Certification GmbH (Test Report 3414140.04) on behalf of Bosch Power Tools GmbH. ⁵ As of 02/2020. 5.8 Joule Impact Energy according to EPTA Procedure 05:2016. ⁶ As of 02/2020. At 25mm drilling in concrete C30/37 using ProCORE18V 8.0Ah. Tested by DEKRA Testing and Certification GmbH (Test Report 3414140.05) on behalf of Bosch Power Tools GmbH. ⁷ Corded GKS 65 GCE vs. cordless GKS 18V-68 GC incl. ProCORE18V 8.0Ah. ⁸ As of 02/2020. Tested by DEKRA Testing and Certification GmbH (Test Report 341653200) on behalf of Bosch Power Tools GmbH.

Adapt to your local portfolio if necessary.


YOUR FLEXIBLE CHOICE. YOUR MAXIMUM FREEDOM.



1. Choose your solo tool.



2. Choose your batteries and charger.



- Choose your individual tool from the entire 18V range.
- Only pay for what you really need.

DRILLS/DRIVERS



GSR 18V-21 0 601 9H1 009 GSR 18V-28 0 601 9H4 108 GSR 18V-55 0 601 9H5 203 GSR 18V-60 C 0 601 9G1 103 GSR 18V-110 C 0 601 9G0 109 GSR 18V-60 FC, GFA 18-M 0 601 9G7 102 GSR 18V-60 FC, GFA 18-M, GFA 18-W ... 0 601 9G7 103 GSR 18V-EC TE 0 601 9C8 004

HAMMER DRILLS



GSB 18V-21 0 601 9H1 108 GSB 18V-28 0 601 9H4 008 GSB 18V-55 0 601 9H5 303 GSB 18V-60 C 0 601 9G2 103 GSB 18V-110 C 0 601 9G0 30A

IMPACT DRIVERS/WRENCHES



GDR 18V-160 0 601 9G5 104 GDX 18V-180 0 601 9G5 202 GDR 18V-200 C 0 601 9G4 102 GDR 18V-200 C + GCY 30-4 0 601 9G4 103 GDS 18V-200 C 0 601 9G4 301 GDS 18V-200 C + GCY 30-4 0 601 9G4 303 GDX 18V-200 C 0 601 9G4 202 GDX 18V-200 C + GCY 30-4 0 601 9G4 203 GDS 18V-300 0 601 9D8 201 GDS 18V-LI HT 0 601 9B1 302

SDS-PLUS ROTARY HAMMERS



GBH 18V-LI Compact 0 611 905 304 GBH 18V-20 0 611 911 001 GBH 18V-EC 0 611 904 003 GBH 18V-26 D 0 611 916 001 GBH 18V-26 0 611 909 001 GBH 18V-26 F 0 611 910 001 GBH 18V-34 CF + GCY 42 0 611 914 001

SDS-MAX ROTARY HAMMERS



GBH 18V-36 C + GCY 42 0 611 915 001 GBH 18V-45 C + GCY 42 0 611 913 000

PLANERS & SANDERS



GHO 18V-LI 0 601 5A0 300 GSS 18V-10 0 601 9D0 200

SAWS



GST 18V-LI S 0 601 5A5 101 GST 18V-LI B 0 601 5A6 101 GKS 18V-57 G 0 601 6A2 101 GKS 18V-57 0 601 6A2 200 GKS 18V-LI 0 601 66H 006 GKS 18V-68 C 0 601 6B5 001 GKS 18V-68 GC 0 601 6B5 100 GOP 18V-28 0 601 8B6 001 GCB 18V-63 0 601 2A0 401 GSA 18V-32 0 601 6A8 108 GSA 18V-LI 0 601 64J 007 GSA 18V-LI Compact 0 601 6A5 001 GKT 18V-52 GC 0 601 6B4 000 GCM 18V-216 0 601 B41 000

ANGLE GRINDERS & METALWORKING



GWS 18V-LI (115mm) 0 601 93A 304 GWS 18V-LI (125mm) 0 601 93A 308 GWX 18V-8 0 601 9J7 000 GWS 18V-10 (115mm) 0 601 9J4 001 GWS 18V-10 (125mm) 0 601 9J4 003 GWX 18V-10 0 601 7B0 101 GWS 18V-10 C (115mm) 0 601 9G3 20A GWS 18V-10 C (125mm) 0 601 9G3 10B GWX 18V-10 C 0 601 7B0 200 GWS 18V-10 PC 0 601 9G3 E0B GWX 18V-10 PC 0 601 7B0 700 GWS 18V-10 SC (125mm) + GCY 42 0 601 9G3 40B GWS 18V-10 SC (150mm) + GCY 42 0 601 9G3 50B GWX 18V-10 SC + GCY 42 0 601 7B0 400 GWS 18V-10 PSC + GCY 42 0 601 9G3 F0B GWX 18V-10 PSC + GCY 42 0 601 7B0 800 GWS 18V-15 C 0 601 9H6 000 GWX 18V-15 C 0 601 9H6 400 GWS 18V-15 SC (125mm) 0 601 9H6 100 GWS 18V-15 SC (150mm) 0 601 9H6 300 GWX 18V-15 SC 0 601 9H6 500 GGS 18V-LI 0 601 9B5 303 GGS 18V-23 LC 0 601 229 100 GGS 18V-23 PLC 0 601 229 200 GGS 18V-10 SLC 0 601 2B4 000 GSC 18V-16 0 601 926 200 GNA 18V-16 0 601 529 500

LIGHT, SOUND, BLOWERS & DUST EXTRACTORS



GAS 18V-1 0 601 9C6 200 GAS 18V-10 L 0 601 9C6 300 GAS 18V-10 L 0 601 9C6 302 GBL 18V-120 0 601 9F5 100 GCG 18V-600 0 601 9C4 001 GLI 18V-300 0 601 4A1 100 GLI VariLED 0 601 443 400 GLI 18V-1200 C 0 601 446 700 GLI 18V-1900 0 601 446 400 GLI 18V-2200 C 0 601 446 501 GLI 18V-10000 C 0 601 446 900 GLI 18V-4000 C 0 601 446 800 GML Soundboxx 0 601 429 900 GML 20 0 601 429 700 GML 50 0 601 429 600

ONE BATTERY FITS ALL.

Compatible since 2008: All of our batteries are compatible with new and existing Bosch Professional tools in the same voltage class.

BATTERIES



GBA 18V 2.0Ah 1 600 200 036 ProCORE18V 4.0Ah 1 600 A01 6GB ProCORE18V 8.0Ah 1 600 A01 6GK ProCORE18V 12.0Ah 1 600 A01 6GU

CHARGERS



GAL 18V-40 1 600 A01 9RJ GAL 1880 CV 1 600 A00 B8G GAL 18V-160 C 1 600 A01 9S5 GAL 18V-160 C + GCY 42 1 600 A01 9S6

STARTER SETS



1x ProCORE18V 4.0Ah + 1x GAL 18V-40 1 600 A01 U7U 2x ProCORE18V 4.0Ah + 1x GAL 18V-40 1 600 A01 BA3 1x ProCORE18V 4.0Ah + 1x ProCORE18V 8.0Ah + 1x GAL 1880 CV 1 600 A01 BA8 2x ProCORE18V 8.0Ah + 1x GAL 18V-160 C + GCY 42 1 600 A01 6GP

READY TO GO: KITS FOR PROFESSIONALS.

BEST VALUE KITS

Get our Best Value Kits and get working:
One tool, one charger and two batteries in an L-BOXX.



GSR 18V-21, 2x GBA 18V 2.0Ah,
GAL 18V-40, L-BOXX



GSB 18V-21, 2x GBA 18V 2.0Ah,
GAL 18V-40, L-BOXX



GDR 18V-160, 2x GBA 18V 2.0Ah,
GAL 18V-40, L-BOXX



GDX 18V-180, 2x GBA 18V 2.0Ah,
GAL 18V-40, L-BOXX



GBH 18V-20, 2x GBA 18V 4.0Ah,
GAL 18V-40, L-BOXX



GKS 18V-57 G, 2x GBA 18V 4.0Ah,
GAL 18V-40, L-BOXX



GST 18V-LI B, 2x GBA 18V 4.0Ah,
GAL 18V-40, L-BOXX



GST 18V-LI S, 2x GBA 18V 4.0Ah,
GAL 18V-40, L-BOXX



GWS 18-125 V-LI, 2x GBA 18V 4.0Ah,
GAL 18V-40, L-BOXX

COMBO KITS

Get started with complete solutions: Our Combo Kits with several tools, batteries and charger are precisely tailored to your needs. **Discover all Combo Kits on [bosch-professional.com](https://www.bosch-professional.com)**



GSR 18V-28, GWS 18V-10 C, GBH 18V-26, ProCORE18V 4.0Ah + ProCORE18V 8.0Ah + GAL 1880 CV, Softbag



GSB 18V-60 C, GWS 18V-10 C, GBH 18V-26, GSA 18V-LI, GLI 18V-1200 C, ProCORE18V 4.0Ah + 2x ProCORE18V 8.0Ah + GAL 1880 CV, L-BOXX



GSR 18V-28, GBH 18V-20, GDX 18V-180, 3x ProCORE18V 4.0Ah, GAL 18V-40, 2x L-BOXX

THE NEW GENERATION OF OUR MOBILITY SYSTEM.

Get most tools in an L-BOXX – the intelligent transport and storage solution.

- ▶ robust handle allows bundled transport of up to 50 kg
- ▶ improved 1-click stack mechanism
- ▶ open L-BOXXes even if they are stacked
- ▶ lockable with padlock
- ▶ larger front handle
- ▶ more robust latches in new design



FIRST RANGE OF ACCESSORIES OPTIMISED FOR CORDLESS TOOLS.

Our new blades for cordless saws ensure maximum working efficiency by achieving maximum battery runtime – up to two times more cuts per battery charge. Comprehensive range offers incomparable lifetime and outstanding cutting results for a wide variety of applications.

