# Real Bosch Simply Superb: Asolution is always ready to hand"



#### Blue Performance Simply more.

#### **NEW!** The GOP Starlock System

The innovative GOP Starlock System combines the most powerful machines with even higher-performance accessories. Blue power tools: For trade and industry.



# The new Starlock System from Bosch On to the next application with one click

The Bosch Starlock System provides more flexibility where other tools don't. These multi-cutters have increased power, an innovative accessory mounting system and an expanded accessory range which are perfectly harmonised to work together to enable a wide range of applications.

- ► A faster work rate and higher efficiency due to more powerful machines
- Clearly arranged performance categories make the accessories easy to organise
- Snap-in function for tool-free accessory changing with no risk of injury because saw blades are simply clicked in (available in GOP 55-36 / 40-30 / 18V-28 Professional)



#### Three Starlock categories: Choose the right solution for you!



- ▶ 50 mm cutting depth
- Backwards-compatible with the OIS system
- ► GOP 10,8 V-LI (see page 9)



- ▶ 60 mm cutting depth
- Deeper cuts and wider range of applications
- ► GOP 40-30 (see page 6)
- ▶ GOP 30-28 (see page 7)
- ▶ GOP 18V-28 (see page 8)



- ▶ 80 mm cutting depth
- ▶ The right accessory for high-performance applications
- ► GOP 55-36 (see page 5)

# **Guaranteed precise cuts** The new Curved-Tec Precision plunge cut saw blades



#### Discover the versatility of the new Starlock series for multi-tools.

With 48 saw blades the new Starlock series offers an efficient, high-performance solution for every task.



Discover the comprehensive Starlock accessories from P. 10 onwards or at www.starlock.com.

# A perfect companion for renovation work

Be it expansion joints, sealants, putty or insulation – cutting soft materials is easy and precise with a multi-cutter.

1 S CEL

The tile and bathroom specialist – now you can perform sanitary applications cleanly, precisely and with minimal dust, such as thoroughly removing tile adhesive residues.



STARLOCK MAX

## **GOP 55-36 Professional** More applications – more performance!

- Fastest work rate thanks to 550 watt motor
- Robust: The right power tool even for heavy duty jobs
- Snap-in function: Fast, tool-free and exceptionally convenient changing of accessories
- ▶ StarlockMax: Compatible with the entire Starlock System



Technical data	GOP 55-36 Professional
Part number	0 601 231 101
Rated power input	550 W
No-load speed	8,000 – 20,000 rpm
Oscillation angle on left/right	1.8°
Weight	1.6 kg
Length	290 mm

The GOP 55-36 Professional can even work in concrete. Replacing concrete joints, e.g. in commercial properties in need of renovation, is no problem thanks to the powerful 550 watt motor.





## Easier than dreamed of.

Experience a **Starlock Moment,** such as effortlessly cutting door frames to length.

# **GOP 40-30 Professional** The versatile tool with fast accessory changes

- Powerful thanks to 400 watt motor
- Snap-in function: Fast, tool-free and exceptionally convenient changing of accessories
- Better visibility thanks to LED light
- StarlockPlus: Suitable for a wide variety of applications

#### STARLOCK PLUS

Technical data	GOP 40-30 Professional
Part number	0 601 231 001
Rated power input	400 W
No-load speed	8,000 – 20,000 rpm
Oscillation angle on left/right	1.5°
Weight	1.5 kg
Length	284 mm

Be it door frames, parquet, laminate or carpet residues – flooring work is done quickly and easily. Short and long cuts can be performed even in the smallest corners thanks to the versatile accessories.





## **Cleaner than imagined.**

STARLOCK PLUS

Experience a **Starlock Moment,** such as routing tile joints with minimal dust.

# **GOP 30-28 Professional** The all-rounder for any purpose

- ▶ 300 watt motor
- Speed preselection for perfect adjustment to suit different accessories and work materials
- Precise results thanks to compact handle and low weight
- StarlockPlus: Suitable for a wide variety of applications

## STARLOCK PLUS

Technical data	GOP 30-28 Professional
Part number	0 601 237 000
Rated power input	300 W
No-load speed	8,000 - 20,000 rpm
Oscillation angle on left/right	1.4°
Weight	1.5 kg
Length	280 mm



Even metal cannot stop these all-rounders. Nails and old heating pipes can be effortlessly cut flush to a wall or to a required length.



### Faster than planned.

Experience a **Starlock Moment,** such as easily sanding in tight spaces.

# **GOP 18V-28 Professional**

The cordless powerhouse with fast accessory changes

- Works as powerfully and quickly as a corded tool
- Snap-in function: Fast, tool-free and exceptionally convenient changing of accessories
- Better visibility thanks to LED light
- Versatile and always ready to use
- StarlockPlus: Suitable for a wide variety of applications

#### STARLOCK PLUS

Technical data	GOP 18V-28 Professional*
Part number	0 601 8B6 003
Battery voltage	18 V
Battery capacity	5.0 Ah
No-load speed	8,000 - 20,000 rpm
Oscillation angle on left/right	1.4°
Weight including 2.0 Ah battery	1.6 kg
Length without battery	312 mm

These cordless all-rounders are even perfect for working on complex 3D shapes such as those found in boat building applications. The tool's ergonomic handling enables you to precisely trim workpieces made of composites such as glass fibre.





## More precise than hoped for.

Experience a **Starlock Moment,** such as making precise cutouts for sockets.

## **GOP 10,8 V-LI Professional** The compact tool – cordless and

The compact tool – cordless and always ready to hand

- Excellent handling due to compact design and weight of only 1 kg
- Softgrip ensures ergonomic handling, makes the tool more comfortable to use and minimises user fatigue
- Up to 20,000 oscillations per minute for the same professional performance as comparable mains-powered tools

### STARLOCK

Technical data	GOP 10,8 V-LI Professional
Part number	0 601 858 00U
Battery voltage	10.8 V
Battery capacity	2 x 2.5 Ah
No-load speed	5,000 – 20,000 rpm
Oscillation angle on left/right	1.4°
Weight including 1.5 Ah battery	1.0 kg



Bosch multi-tools are versatile to use in kitchen fitting applications. Plunge cuts can be performed quickly and precisely even in laminated panels to make holes for sockets or light fixtures. Even working overhead is no problem thanks to the low weight of the GOP 10,8 V-LI Professional.

# **The right accessory for every application!** Overview of Starlock accessories

STARLOCK									
	ACZ 70 RT5	ACZ 85 EB	ACZ 85 EC	ACZ 85 EIB	ACZ 85 RD4	ACZ 85 RT3	ACZ 100 BB	ACZ 100 SWB	All 65 APB <sup>1</sup>
Single pack part no. 2 608	661 692	661 636	661 643	661 758	661 689	661 642	661 633	661 693	661 781
Pack of 5 part no. 2 608	-	-	-	-	-	-	-	-	661 907
Pack of 10 part no. 2 608	662 598	662 602	662 603	662 601	662 606	662 607	662 608	662 609	662 541
Application colour code									
Plunge depth mm	10	20	20	20	20	20	25	25	40
Cutting width mm	70	85	85	85	85	85	100	100	65
Suitable for									
GOP 10,8 V-LI Professional	1	1	<ul> <li>Image: A second s</li></ul>	1	<ul> <li>Image: A second s</li></ul>	1	1	<ul> <li>Image: A second s</li></ul>	1
GOP 18V-28 Professional GOP 30-28 Professional GOP 40-30 Professional	<ul> <li>Image: A second s</li></ul>	✓		✓	<ul> <li>Image: A second s</li></ul>	1	1	<ul> <li>Image: A second s</li></ul>	1
GOP 55-36 Professional	1	1	1	1	1	1	1	1	1

STARLOCK PLUS	1			
	PAII 65 APB <sup>1</sup>	PAIZ 32 AT	PAIZ 32 APB	PAIZ 32 EPC
Single pack part no. 2 608	662 564	662 555	662 558	662 561
Pack of 10 part no. 2 608	662 566	662 557	662 560	662 563
Application colour code				
Plunge depth mm	50	50	60	60
Cutting width mm	65	32	32	32
Suitable for				
GOP 10,8 V-LI Professional	-	-	-	-
GOP 18V-28 Professional GOP 30-28 Professional GOP 40-30 Professional	✓	1	1	✓
GOP 55-36 Professional	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	✓



<sup>1</sup> Flat convex

			9			Ŷ					Î
All 65 APC <sup>1</sup>	All 65 BSPB <sup>1</sup>	All 65 BSPC <sup>1</sup>	AIZ 10 AB	AIZ 20 AB	AIZ 20 AT	AIZ 28 SC	AIZ 32 AB	AIZ 32 APB	AIZ 32 AT	AIZ 32 BSPB	AIZ 32 BS
662 357	662 017	662 354	661 641	661 640	662 019	661 691	661 688	661 644	662 018	661 645	662 36
662 358	662 031	662 355	-	661 628	662 034	661 909	661 908	661 629	662 033	661 630	662 36
662 542	662 543	662 544	-	-	-	662 535	662 536	662 534	662 537	662 538	662 53
40	40	40	25	30	40	40	50	50	40	50	50
65	65	65	10	20	20	28	32	32	32	32	32

✓	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul><li>✓</li></ul>
1	1	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	×	✓	×	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<
1	1	1	1	1	1	✓	1	1	1	1	

STARLOCK MAX		Ŷ	Î	Î	Î	Î	2	2	2	9
	MAII 32 SC	MAII 32 SLC	MAII 52 APB <sup>1</sup>	MAIZ 32 APB	MAIZ 32 AT	MAIZ 32 EPC	MATI 68 MT4 <sup>4</sup>	MATI 68 RD4 <sup>2</sup>	MATI 68 RSD4 <sup>3</sup>	MATI 68 R
Single pack part no. 2 608	662 583	662 575	662 574	662 571	662 567	662 568	662 582	662 580	662 581	662 57
Pack of 10 part no. 2 608	662 616	662 615	662 614	662 573	662 613	662 570	662 622	662 620	662 621	662 61
Application colour code										
Plunge depth mm	55	70	70	80	70	80	30	30	30	30
Cutting width mm	29	22	52	32	32	32	68	68	68	68
Suitable for										
GOP 10,8 V-LI Professional	-	-	-	-	-	-	-	-	-	-
GOP 18V-28 Professional GOP 30-28 Professional GOP 40-30 Professional	-	-	-	-	-	-	-	-	-	-
GOP 55-36 Professional	<ul> <li>Image: A second s</li></ul>	<b>√</b>	<ul> <li>Image: A second s</li></ul>	1	✓	1	1	<ul> <li>Image: A second s</li></ul>	1	✓

<sup>2</sup> Putter grit coating 2.2 mm <sup>3</sup> Putter grit coating 1.5 mm <sup>4</sup> Putter grit coating 1,6 mm

	Ĭ		Ĵ			<b>\$</b>		Ĩ	6		
PC	AIZ 32 EPC	AIZ 32 RT5	ASZ 32 SC	ATZ 52 SC	ATZ 52 SFC	AUZ 70 G	AVZ 32 RT10	AVZ 32 RT4	AVZ 70 RT4	AVZ 78 RT2	AVZ 93 G
0	661 637	661 868	662 431	661 646	661 647	662 346	662 610	662 611	661 757	661 648	000 493
1	661 626	-	-	-	-	-	-	-	-	-	-
9	662 540	-	-	662 596	662 597	-	-	-	662 599	662 600	-
						-					-
	50	30	24	26	38	-	50	50	-	-	-
	32	34	11	52	52	70	32	32	70	78	93
	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>
	1	1	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	1	1	<ul> <li>Image: A second s</li></ul>	1
	1	1	1	1	1	1	1	1	1	1	✓



0

#### Consistent colour coding

R

00

This handy guide will help you to select the ideal saw blade for your material.





#### **Dust extraction**

► For extracting sanding dust in combination with the AVZ 93 G sanding plate



Basic depth stop

Part no.

▶ For precise cutting depths in combination with 85 mm and 100 mm diameter segment saw blades (e.g. when replacing individual parquet sections)



	P	wood)
		Expert depth stop
	2 608 000 589	Part no.
	Four stages	Adjustment
m	8, 10, 12,	Suitable for
lades	14 mm	GOP 10,8 V-LI Professio
nm	13, 15, 17,	COD 10V 20 Drofossion

Part no.	2 608 000 590
Adjustment	Continuously varia
Suitable for	
GOP 10,8 V-LI Professional	<ul> <li>Image: A set of the set of the</li></ul>
GOP 18V-28 Professional GOP 30-28 Professional GOP 40-30 Professional	
GOP 55-36 Professional	<ul> <li>Image: A second s</li></ul>
GOP 14,4V/18V-LI	1



Dust extraction	
Part no.	2 608 000 636
Suitable for	
GOP 10,8 V-LI Professional	<ul> <li>Image: A second s</li></ul>
GOP 18V-28 Professional GOP 30-28 Professional GOP 40-30 Professional	<ul> <li>Image: A second s</li></ul>
GOP 55-36 Professional	<ul> <li>Image: A second s</li></ul>
GOP 14,4V / 18V-LI	<ul> <li>Image: A second s</li></ul>
GOP 300 SCE	<b>1</b>





**Expert depth stop** 

▶ For precise cutting depths in combination with segment and plunge

cut saw blades (e.g. for precise plunge cuts in construction wood)

GOP 300 SCE



able

# **Three Starlock categories:** Select the right solution for you



\* Available from September 2016

**Robert Bosch Ltd Power Tools Division** PO Box 98 Uxbridge Middlesex UB9 5HN Tel. 0344 736 0109\* www.bosch-professional.co.uk

BOSCH Invented for life

\* 4 pence per minute from a BT landline, call charges from other networks will vary and mobiles may be significantly more