



**BOSCH**

Invented for life

# Drills metal fast. Again and again.

The Bosch HSS twist drill bit PointTeQ enables fast drilling in metal.

[www.bosch-professional.co.uk](http://www.bosch-professional.co.uk)

**+Extra!**



# HSS PointTeQ

## Fast Drilling in Metal

### Increased lifetime

As a result of its fast drilling rate which leads to reduced wear

### Fast chip removal

Supported by the black-oxide coated flute

### Low risk of breakage

Due to drill bit body manufactured with high elasticity




### Fast and easy start

The self-centering PointTeQ tip design allows an easy and efficient start

### HSS PointTeQ Bosch

- ▶ Self-centering PointTeQ tip design for quick start
- ▶ High drilling speed
- ▶ Less generated heat/wear and so increase in lifetime



### HSS entry-level competitors

- ▶ Standard chisel edge tip design
- ▶ Low drilling speed
- ▶ More generated heat/wear and so decrease in lifetime



Dimensions Ø mm	Working length mm	Total length mm	Part No. 2 608 ...
--------------------	-------------------------	-----------------------	-----------------------

**Pack of 2**

1.0	12	34	577 153
1.5	18	40	577 154
2.0	24	49	577 155
2.5	30	57	577 156
3.0	33	61	577 158
3.2	36	65	577 159
3.5	39	70	577 160
4.0	43	75	577 161

**Pack of 1**

4.2	43	75	577 162
4.5	47	80	577 163
4.8	52	86	577 164
5.0	52	86	577 165
5.5	57	93	577 166
6.0	57	93	577 167
6.5	63	101	577 168
7.0	69	109	577 169
7.5	69	109	577 170
8.0	75	117	577 171
8.5	75	117	577 172
9.0	81	125	577 173
10.0	87	133	577 174
11.0	94	142	577 175
12.0	101	151	577 176
13.0	101	151	577 177

**Pack of 10**

1.5	18	40	577 183
2.0	24	49	577 188
2.5	30	57	577 193
3.0	33	61	577 198
3.2	36	65	577 200
3.3	36	65	577 201
3.5	39	70	577 203
4.0	43	75	577 208
4.2	43	75	577 210
4.5	47	80	577 213
4.8	52	86	577 216
4.9	52	86	577 217
5.0	52	86	577 218
5.1	52	86	577 219
5.3	52	86	577 221



Dimensions Ø mm	Working length mm	Total length mm	Part No. 2 608 ...
--------------------	-------------------------	-----------------------	-----------------------

**Pack of 10**

5.5	57	93	577 223
5.8	57	93	577 226
5.9	57	93	577 227
6.0	57	93	577 228
6.4	63	101	577 232
6.5	63	101	577 233
7.0	69	109	577 238
7.5	69	109	577 243
8.0	75	117	577 248
8.5	75	117	577 253
9.0	81	125	577 258
9.5	81	125	577 263
10.0	87	133	577 268

**Pack of 5**

10.5	87	133	577 273
11.0	94	142	577 278
11.5	94	142	577 283
12.0	101	151	577 288
12.5	101	151	577 293
13.0	101	151	577 298

Dimensions Ø mm	Working length mm	Total length mm	Part No. 2 608 ...
--------------------	-------------------------	-----------------------	-----------------------

#### Pack of 1 (reduced shank)

10.5	87	133	577 299
11.0	94	142	577 300
11.5	94	142	577 301
12.0	101	151	577 302
12.5	101	151	577 303
13.0	101	151	577 304
13.5	108	160	577 305
14.0	108	160	577 306
14.5	114	169	577 307
15.0	114	169	577 308
15.5	120	178	577 309
16.0	120	178	577 310
16.5	125	184	577 311
17.0	125	184	577 312
18.0	130	191	577 313
19.0	135	198	577 314
20.0	140	205	577 315



#### 5 Piece Set

2.0	24	49	577 345
3.0	33	61	
4.0	43	75	
5.0	52	86	
6.0	57	93	



#### 6 Piece Set

2.0	24	49	577 346
3.0	33	61	
4.0	43	75	
5.0	52	86	
6.0	57	93	
8.0	75	117	



#### 7 Piece X Line Set

2.0	24	49	577 347
3.0	33	61	
4.0	43	75	
5.0	52	86	
6.0	57	93	
8.0	75	117	
10.0	87	133	



Dimensions Ø mm	Working length mm	Total length mm	Part No. 2 608 ...
--------------------	-------------------------	-----------------------	-----------------------

#### 10 Piece Set

1.0	12	34	577 348
2.0	24	49	
3.0	33	61	
4.0	43	75	
5.0	52	86	
6.0	57	93	
7.0	69	109	
8.0	75	117	
9.0	81	125	
10.0	87	133	



#### 13 Piece Set

1.5	18	40	577 349
2.0	24	49	
2.5	30	57	
3.0	33	61	
3.2	36	65	
3.5	39	70	
4.0	43	75	
4.5	47	80	
4.8	52	86	
5.0	52	86	
5.5	57	93	
6.0	57	93	
6.5	63	101	



Dimensions Ø mm	Working length mm	Total length mm	Part No. 2 608 ...
--------------------	-------------------------	-----------------------	-----------------------

#### 19 Piece Pro Box

1.0	12	34	577 351
1.5	18	40	
2.0	24	49	
2.5	30	57	
3.0	33	61	
3.5	39	70	
4.0	43	75	
4.5	47	80	
5.0	52	86	
5.5	57	93	
6.0	57	93	
6.5	63	101	
7.0	69	109	
7.5	69	109	
8.0	75	117	
8.5	75	117	
9.0	81	125	
9.5	81	125	
10.0	87	133	



#### 25 Piece Pro Box

1.0	12	34	577 352
1.5	18	40	
2.0	24	49	
2.5	30	57	
3.0	33	61	
3.5	39	70	
4.0	43	75	
4.5	47	80	
5.0	52	86	
5.5	57	93	
6.0	57	93	
6.5	63	101	
7.0	69	109	
7.5	69	109	
8.0	75	117	
8.5	75	117	
9.0	81	125	
9.5	81	125	
10.0	87	133	
10.5	87	133	
11.0	94	142	
11.5	94	142	
12.0	101	151	
12.5	101	151	
13.0	101	151	



Dimensions Ø Inch	Working length mm	Total length mm	Part No. 2 608 ...
----------------------	-------------------------	-----------------------	-----------------------

#### Pack of 10

1/16"	23	49	577 316
5/64"	26	52	577 317
3/32"	33	58	577 318
7/64"	39	68	577 319
1/8"	42	71	577 320
9/64"	45	74	577 321
5/32"	52	80	577 322
11/64"	55	84	577 323
3/16"	61	91	577 324
13/64"	64	94	577 325
7/32"	66	97	577 326
1/4"	72	104	577 328
5/16"	83	116	577 332
21/64"	87	120	577 333
3/8"	95	130	577 336



#### Pack of 5

7/16"	106	143	577 340
1/2"	118	156	577 344



**Robert Bosch Limited**

Power Tools Division

PO Box 98, Uxbridge

Middlesex, UB9 5HJ

United Kingdom

**[www.bosch-professional.co.uk](http://www.bosch-professional.co.uk)**