

Top of the rankings for speed

The Bosch brush range






















































NEW! Solutions for all applications.
Appropriate for all drills and angle grinders.



BOSCH


Invented for life





					Metal			Inox		
										
Product	Type	Brush diameter mm	Wire thickness mm							
Steel brushes										
Wire cup brush										
heavy  Metal			65	0.35	●					
			75	0.5	●					
			90	0.5	●					
			90	0.8	●					
			100	0.5	●					
			100	0.8	●					
clean  Metal			70	0.3	●					
			100	0.5	●					
Wire wheel										
heavy  Metal			115	0.5	○	●	●			
clean  Metal			115	0.3	○	●	●			
Tapered brush										
heavy  Metal			100	0.5	○	●	●			
			115	0.5	○	●	●			
clean  Metal			100	0.3	○	●	●			
			115	0.35	○	●	●			
Stainless steel brushes										
Wire cup brush										
heavy  Inox			65	0.35				●		
			75	0.5				●		
			100	0.35				●		
clean  Inox			65	0.3				●		
			75	0.3				●		
			100	0.3				●		
Wire wheel										
heavy  Inox			115	0.5				○	●	●
clean  Inox			115	0.3				○	●	●
Tapered brush										
heavy  Inox			115	0.35				○	●	●
clean  Inox			100	0.35				○	●	●
Brass brushes										
Wire cup brush										
clean  Metal			70	0.3	●					

● very suitable ○ suitable


Find the right brush using the relevant colour code

 Steel brush, crimped


 Steel brush, knotted

 Inox brush, crimped and knotted

The perfect wire for every result



































 Crimped wire
= Fine result



 Knotted wire
= Coarse result





				Metal					Inox Aluminium Non-ferrous metals					Wood								
									  													
Product	Type	Brush diameter mm	Wire thickness mm																			
Steel brushes																						
Wire cup brush																						
		65	0.5	●		○																
		50	0.2	●						●*						●						
		50	0.3	●						●*						○						
		70	0.2	●						●*						●						
		70	0.3	●						●*						○						
Wire wheel																						
		75	0.5	○	●	●																
		30	0.2		●	●				●*	●*					●	●					
		50	0.2	●	●					○*	●*				○	●						
		50	0.3		●	●				○*	●*											
		75	0.3	●	●					○*	●*											
		75	0.3			●					●*											
		75	0.2		●	●				●*	●*					●	●					
		100	0.2		●	●				●*	●*				○	●						
		100	0.3		●	●				●*	●*											
Pencil brush																						
		10	0.35				●	●														
		19	0.35				●	●														
		15	0.2			○	●	●			○*	●*	●*				○	○	○			
		25	0.3			○	●	●			○*	●*	●*				○	○	○			
Stainless steel brushes																						
Wire cup brush																						
		50	0.3							●		○										
		60	0.3							●												
Wire wheel																						
		70	0.35							○	●	●										
		30	0.3								●	●	○									
		50	0.2							○	●	●										
		70	0.3								●		○									
		70	0.3							○	●											
		80	0.2									●										
		100	0.3								●	○										
Pencil brush																						
		10	0.35									●	●									
		19	0.35									●	●									
		15	0.2								○	●	●									
		25	0.3								○	●	●									
Brass brushes																						
Wire cup brush																						
		50	0.2	●						●*						●						
Wire wheel																						
		75	0.2		●	●					●*	●*			○	●	●					
		75	0.2	○	●	●				○*	●*	●*			●	●	○					
		80	0.2												●	○						
Nylon brushes (nylon wire with aluminium oxide)																						
Wire cup brush																						
		50	1.1	●											●		○					
		75	1.1	●																		
Wire wheel																						
		75	1.1		●	●									○	●	●					
		100	1.1		●	●									○	●	●					

● very suitable ○ suitable

* only for non-ferrous metals, not for aluminium and inox

Solutions for all applications

Appropriate for all
angle grinders and drills

Coordinated product properties
for optimum results on all materials:

Two different toolholders
The right brush for an optimum work result with angle grinders and drills

6 mm shank M14 thread

Knotted and crimped wire
The optimum solution for light and heavy duty applications

Four wire materials
for use on all materials

Steel Stainless steel
Brass Nylon


Six wire thicknesses
for six different levels of aggression

0.8 mm
0.5 mm
0.3 mm
0.5 mm
0.3 mm
0.2 mm

Coarse
Fine





Wire brushes for angle grinders and straight grinders with M14 thread



Steel brushes

Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3165140...
Product properties			Ordering information					

heavy Metal




Wire cup brush – knotted wire

- **Suitable for** heavy duty cleaning work on medium to large metal surfaces, such as removing heavy rust or underseal, removing paint or varnish.
- **Appropriate for** all angle grinders with M14 thread and GGS 6 S Professional.

65	0.35	12,500	125	2 608 622 099	C1a	1	1	631792
75	0.50	12,500	125	1 608 622 029	C1a	1	1	026628
90	0.50	8,500	150	1 608 614 001	C1a	1	1	003124
90	0.80	8,500	150	1 608 614 000	C1a	1	1	026567
100	0.50	8,500	180	2 608 622 010	C1a	1	1	036016
100	0.80	8,500	180	1 608 614 002	C1a	1	1	026574

clean Metal




Wire cup brush – crimped wire

- **Suitable for** light to medium duty cleaning work on medium to large metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.
- **Appropriate for** all angle grinders with M14 thread and GGS 6 S Professional.

70	0.30	12,500	125	2 608 622 098	C1a	1	1	631785
100	0.50	8,500	180	1 608 614 011	C1a	1	1	026611

heavy Metal




Wire wheel – knotted wire

- **Ideal for** cleaning welded seams.
- **Suitable for** heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.
- **Appropriate for** all angle grinders with M14 thread and GGS 6 S Professional.

115	0.50	12,500	–	2 608 622 059	C1a	1	1	087254
-----	------	--------	---	----------------------	-----	---	---	--------

Steel brushes

clean Metal




Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3165140...
Product properties				Ordering information				

Wire wheel – crimped wire

- **Ideal for** removing annealing colour on welded seams.
- **Suitable for** light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.
- **Appropriate for** all angle grinders with M14 thread and GGS 6 S Professional.

115	0.30	11,000	–	2 608 622 100	C1a	1	1	631808
-----	------	--------	---	----------------------	-----	---	---	--------

heavy Metal




Tapered brush – knotted wire

- **Ideal for** working on hard-to-reach areas (due to the conical shape of the brush).
- **Suitable for** heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling, cleaning welded seams.
- **Appropriate for** all angle grinders with M14 thread and GGS 6 S Professional.

100	0.50	12,500	–	2 608 622 011	C1a	1	1	036023
115	0.50	12,500	–	2 608 622 058	C1a	1	1	087247

clean Metal




Tapered brush – crimped wire

- **Ideal for** working on hard-to-reach areas (due to the conical shape of the brush).
- **Suitable for** light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping, removing annealing colour on welded seams.
- **Appropriate for** all angle grinders with M14 thread and GGS 6 S Professional.


100	0.30	12,500	–	2 608 622 057	C1a	1	1	087230
115	0.35	12,500	–	2 608 622 101	C1a	1	1	631815

Stainless steel brushes


heavy **Inox**




clean **Inox**



heavy **Inox**



clean **Inox**



Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3165140...
Product properties			Ordering information					

Wire cup brush – knotted wire, stainless

- **Suitable for** heavy duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing heavy rust or removing paint or varnish.
- **Appropriate for** all angle grinders with M14 thread and GGS 6 S Professional.

65	0.35	12,500	125	2 608 622 104	C1a	1	1	631846
75	0.50	12,500	125	2 608 622 060	C1a	1	1	087261
100	0.35	8,500	180	2 608 622 105	C1a	1	1	631853

Wire cup brush – crimped wire, stainless

- **Suitable for** light to medium duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.
- **Appropriate for** all angle grinders with M14 thread and GGS 6 S Professional.

65	0.30	12,500	115	2 608 622 061	C1a	1	1	087278
75	0.30	12,500	125	2 608 622 102	C1a	1	1	631822
100	0.30	8,500	180	2 608 622 103	C1a	1	1	631839

Wire wheel – knotted wire, stainless

- **Ideal for** cleaning welded seams on stainless steel.
- **Suitable for** heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.
- **Appropriate for** all angle grinders with M14 thread and GGS 6 S Professional.

115	0.50	12,500	–	2 608 622 106	C1a	1	1	631860
-----	------	--------	---	----------------------	-----	---	---	--------


Wire wheel – crimped wire, stainless

- **Ideal for** removing annealing colour from welded seams on stainless steel.
- **Suitable for** light to medium duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing.
- **Appropriate for** all angle grinders with M14 thread and GGS 6 S Professional.

115	0.30	8,500	–	2 608 622 107	C1a	1	1	631877
-----	------	-------	---	----------------------	-----	---	---	--------

Stainless steel brushes

heavy Inox




Tapered brush – knotted wire, stainless

- **Ideal for** working on hard-to-reach areas (due to the conical shape of the brush).
- **Suitable for** heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling, cleaning welded seams.
- **Appropriate for** all angle grinders with M14 thread and GGS 6 S Professional.

Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3165140...
115	0.35	12,500	–	2 608 622 109	C1a	1	1	631891

clean Inox




Tapered brush – crimped wire, stainless

- **Ideal for** working on hard-to-reach areas (due to the conical shape of the brush).
- **Suitable for** light to medium duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing, removing annealing colour on welded seams.
- **Appropriate for** all angle grinders with M14 thread and GGS 6 S Professional.

Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3165140...
100	0.35	12,500	–	2 608 622 108	C1a	1	1	631884

Brass brushes

clean Metal



Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3165140...
Product properties				Ordering information				


Wire cup brush – crimped wire, brass-coated

- **Suitable for** light to medium duty cleaning work on medium to large metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.
- **Appropriate for** all angle grinders with M14 thread and GGS 6 S Professional.
- **Advantage:** corrosion protection provided by brass-coated wire.


Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3165140...
70	0.30	12,500	115	1 608 614 020	C1a	1	1	003131

Wire brushes for drills

(6 mm shank)



Steel brushes




Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Part number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3165140...
Product properties			Ordering information					

Wire cup brush – knotted wire

- **Suitable for** heavy duty cleaning work on small to medium metal surfaces, such as removing heavy rust, underseal, paint or varnish.


65	0.50	4,500	–	2 608 622 050	C1b	1	1	082099
----	------	-------	---	----------------------	-----	---	---	--------



Wire cup brush – crimped wire

- **Suitable for** light to medium duty cleaning work on small to medium metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.


50	0.20	4,500	–	2 608 622 022	C1b	1	1	049832
50	0.30	4,500	–	2 608 622 006	C1b	1	1	035972
70	0.20	4,500	–	1 609 200 271	C1b	1	1	004527
70	0.30	4,500	–	1 609 200 270	C1b	1	1	004510



Wire wheel – knotted wire

- **Ideal for** cleaning welded seams.
- **Suitable for** heavy duty cleaning work on small metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

75	0.50	4,500	13	2 608 622 113	C1b	1	1	631938
----	------	-------	----	----------------------	-----	---	---	--------




Wire wheel – crimped wire

- **Ideal for** removing annealing colour on welded seams.
- **Suitable for** light to medium duty cleaning work on small metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.

30	0.20	4,500	6	2 608 622 110	C1b	1	1	631907
50	0.20	4,500	15	2 608 622 111	C1b	1	1	631914
50	0.30	4,500	8	2 608 622 112	C1b	1	1	631921
75	0.30	4,500	16	2 608 622 053	C1b	1	1	082129

Steel brushes

Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Part number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3165140...
Product properties			Ordering information					



Wire wheel – crimped wire

- **Ideal for** removing annealing colour on welded seams.
- **Suitable for** light to medium duty cleaning work on small metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.

75	0.30	4,500	8	2 608 622 007	C1b	1	1	035989	
75	0.20	4,500	10	1 608 622 015	C1b	1	1	041119	
100	0.30	4,500	10	1 609 200 273	C1b	1	1	004541	
100	0.20	4,500	10	1 609 200 274	C1b	1	1	004558	



Pencil brush – knotted wire

- **Ideal for** working on hard-to-reach areas.
- **Suitable for** medium duty cleaning work in corners and working on the inside of pipes and profiles, such as removing heavy rust, removing paint or varnish.

10	0.35	4,500	–	2 608 622 115	C1b	1	1	631952	
19	0.35	4,500	–	2 608 622 116	C1b	1	1	631969	




Pencil brush – crimped wire

- **Ideal for** working on hard-to-reach areas.
- **Suitable for** light duty cleaning work in corners and working on the inside of pipes and profiles, such as removing rust, roughing, matt sanding, paint stripping.

15	0.20	4,500	–	2 608 622 114	C1b	1	1	631945	
25	0.30	4,500	–	1 609 200 269	C1b	1	1	004503	

Stainless steel brushes




Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Part number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3165140...
Product properties			Ordering information					

Wire cup brush – crimped wire, stainless steel

- **Suitable for** light to medium duty cleaning work on small to medium stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.


50	0.30	4,500	–	2 608 622 117	C1b	1	1	631976
60	0.30	4,500	–	2 608 622 118	C1b	1	1	631983



Wire wheel – knotted wire, stainless steel

- **Ideal for** cleaning welded seams on stainless steel.
- **Suitable for** heavy duty cleaning work on small surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.


70	0.35	4,500	14	2 608 622 125	C1b	1	1	632058
----	------	-------	----	---------------	-----	---	---	--------



Wire wheel – crimped wire, stainless steel

- **Ideal for** removing annealing colour from welded seams on stainless steel.
- **Suitable for** light to medium duty cleaning work on small surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing.

30	0.30	4,500	6	2 608 622 119	C1b	1	1	631990
50	0.20	4,500	15	2 608 622 120	C1b	1	1	632003
70	0.30	4,500	10	2 608 622 121	C1b	1	1	632010
70	0.30	4,500	15	2 608 622 122	C1b	1	1	632027
80	0.20	4,500	4	2 608 622 123	C1b	1	1	632034
100	0.30	4,500	10	2 608 622 124	C1b	1	1	632041




Pencil brush – knotted wire, stainless steel

- **Ideal for** working on very hard-to-reach areas on stainless steel.
- **Suitable for** medium duty cleaning work in corners and working on the inside of pipes and profiles made of stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, removing paint or varnish.

10	0.35	4,500	–	2 608 622 128	C1b	1	1	632089
19	0.35	4,500	–	2 608 622 129	C1b	1	1	632096

Stainless steel brushes



Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Part number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3165140...
Product properties			Ordering information					

Pencil brush – crimped wire, stainless steel

- **Ideal for** working on very hard-to-reach areas on stainless steel.
- **Suitable for** light duty cleaning work in corners and working on the inside of pipes and profiles made of stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping.

15	0.20	4,500	–	2 608 622 126	C1b	1	1	632065
25	0.30	4,500	–	2 608 622 127	C1b	1	1	632072

Brass brushes



Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Part number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3165140...
Product properties			Ordering information					

Wire cup brush – crimped wire, brass-coated

- **Suitable for** light to medium duty cleaning work on small to medium metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping, working on wood.
- **Advantage:** corrosion protection provided by brass-coated wire.

50	0.20	4,500	–	2 608 622 008	C1b	1	1	035996
----	------	-------	---	---------------	-----	---	---	--------



Wire wheel – crimped wire, brass-coated

- **Ideal for** removing annealing colour on welded seams.
- **Suitable for** light to medium duty cleaning work on small surfaces, in grooves or on edges on metal or non-ferrous metal, such as removing rust, roughing, matt sanding, paint stripping, working on wood.
- **Advantage:** corrosion protection provided by brass-coated wire.

75	0.20	4,500	10	2 608 622 009	C1b	1	1	036009
75	0.20	4,500	16	2 608 622 054	C1b	1	1	082136




Wire wheel – crimped wire, brass-coated

- **Ideal for** texturing wood.

80	0.20	4,500	35	2 608 622 130	C1b	1	1	632102
----	------	-------	----	---------------	-----	---	---	--------

Nylon brushes with aluminium oxide




Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Part number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3165140...
Product properties				Ordering information				

Wire cup brush – nylon bristle with aluminium oxide coated abrasive K 80

- **Suitable for** paint stripping, removing rust, smoothing, matt sanding and cleaning wood, metal and PVC on smaller to medium surfaces, texturing wood.
- Adapts perfectly to the contours of the workpiece, without severely altering the surface.
- Works at constant material removal rate because abrasive grains are continuously released.

50	1.10	4,500	–	2 608 622 052	C1b	1	1	082112
75	1.10	4,500	–	2 608 622 051	C1b	1	1	082105



Wire wheel – nylon bristle with aluminium oxide coated abrasive K 80

- **Suitable for** paint stripping, removing rust, smoothing, matt sanding and cleaning wood, metal and PVC on small surfaces, in grooves or on edges, texturing wood and removing annealing colour from welded seams on stainless steel.
- Adapts perfectly to the contours of the workpiece, without severely altering the surface.
- Works at constant material removal rate because abrasive grains are continuously released.

75	1.10	4,500	8	2 608 622 056	C1b	1	1	082150
100	1.10	4,500	8	2 608 622 055	C1b	1	1	082143

Technical information/Applications



Steel



Stainless steel



Aluminium



Non-ferrous metals



Wood



Plastic



Fine result



Coarse result



Cleaning surfaces



Cleaning edges



Cleaning grooves



Cleaning corners



Working on pipe interiors

Accessories for work safety

Protective goggles



Product properties	Ordering information				
	Tested to	Part number	Packaging type	Pack quantity	Minimum order quantity
					Barcode 3165140...

Full protection goggles

- With indirect ventilation and mist-free, colourless plastic lens. Protect against strong knocks, large dust particles and liquid. Also suitable for spectacle wearers.

EN 166	2 607 990 037	P1d	1	1	093668
--------	---------------	-----	---	---	--------



Protective goggles

- Fully transparent, can be worn over glasses.

EN 166	2 607 990 041	P1d	1	1	093705
--------	---------------	-----	---	---	--------

Protective masks



Product properties	Ordering information				
	Tested to	Part number	Packaging type	Pack quantity	Minimum order quantity
					Barcode 3165140...

Fine dust mask

- Protects against non-toxic fine dust, for work such as drilling, chiselling and cutting. Unsuitable protection against poisonous gases and vapours.

EN 149 FF P1	2 607 990 032	P1d	2	1	093613
--------------	---------------	-----	---	---	--------



Fine dust mask

- Protects against low level poisonous particles, fine dust, grinding dust when sanding wood and concrete; e.g. dust from sanding paint. Same as class FF P1 but with a higher degree of protection.

EN 149 FF P2	2 607 990 034	P1d	2	1	093637
--------------	---------------	-----	---	---	--------



Fine dust/odour mask

- For low level poisonous particles, foul organic smells and particles (paint spray mask). With exhalation valve for easier breathing. With integrated activated charcoal filter for reduction of smells.

EN 149 FF P2	2 607 990 036	P1d	2	1	093651
--------------	---------------	-----	---	---	--------

Ear protectors



Product properties	Ordering information				
	Tested to	Part number	Packaging type	Pack quantity	Minimum order quantity
					Barcode 3165140 ...

Ear protectors

- ▶ Soundproofing level 24 dB (A)
- ▶ Folding, padded, adjustable head bar. L rate 17 dB, M rate 25 dB, H rate 32 dB, SNR rate 28 dB

EN 352	2 607 990 043	P1d	1	1	093729
--------	---------------	-----	---	---	--------

Protective gloves


Hands also need to be protected as material can become missiles during work.

Product properties	Ordering information			
	Part number	Packaging type	Pack quantity	Minimum order quantity
				Barcode 3165140 ...

Protective gloves

- ▶ Made of grey cowhide leather, leather thickness 1.2 mm, back of hand made of twisted cotton, finger nail, wrist and pulse protection, sewn-in rubber insert, plastic-coated twisted sleeve, inside palm lining, length 26 cm, men standard size 10

	2 607 000 134	P1d	1	1	017954
--	---------------	-----	---	---	--------



Robert Bosch Limited

Power Tools Division
PO Box 98, Uxbridge
Denham, UB9 5HN
United Kingdom
www.boschpowertools.co.uk



BOSCH
Invented for life